

# **EXHIBIT A**



US 20040029635A1

(19) **United States**(12) **Patent Application Publication** (10) **Pub. No.: US 2004/0029635 A1****Giobbi**(43) **Pub. Date: Feb. 12, 2004**(54) **PORTABLE DATA UNIT FOR  
COMMUNICATING WITH GAMING  
MACHINE OVER WIRELESS LINK****Publication Classification**(51) **Int. Cl.<sup>7</sup>** ..... **A63F 9/24**(52) **U.S. Cl.** ..... **463/30; 463/40**(76) **Inventor: John J. Giobbi, Northbrook, IL (US)**

Correspondence Address:

**MICHAEL J. BLANKSTEIN  
WMS GAMING INC.  
3401 N. CALIFORNIA AVE  
CHICAGO, IL 60618 (US)**(21) **Appl. No.: 10/630,141**(22) **Filed: Jul. 30, 2003****Related U.S. Application Data**

(60) Division of application No. 09/950,139, filed on Sep. 10, 2001, which is a continuation-in-part of application No. 09/534,406, filed on Mar. 22, 2000, now abandoned.

(57) **ABSTRACT**

A method and arrangement for communicating with a gaming machine is disclosed. The gaming machine includes a first wireless transceiver. A portable data unit includes a second wireless transceiver. In response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, a wireless transmission link is established between the first and second wireless transceivers. The wireless transmission link may, for example, be a radio (RF) link or an infrared (IR) link. Information is transmitted between the portable data unit and the gaming machine via the wireless transmission link for such purposes as cashless gaming, player tracking, game customization, and data transfer.





Fig. 1

10






FIG. 2




Fig. 3

## PORTABLE DATA UNIT FOR COMMUNICATING WITH GAMING MACHINE OVER WIRELESS LINK

### FIELD OF THE INVENTION

[0001] The present invention relates generally to gaming machines and, more particularly, to a portable data unit for communicating with a gaming machine over a wireless transmission link for such purposes as cashless gaming, player tracking, game customization, and data transfer.

### BACKGROUND OF THE INVENTION

[0002] Cashless gaming systems and player tracking systems generally require a player to insert a portable data unit, such as a smart card, magnetic stripe card, ticket, or the like, into a data unit reader at a gaming machine. The portable data unit is first issued to the player by a gaming establishment or other registration authority. The portable data unit may carry monetary or player tracking information directly on the data unit. Alternatively, the gaming machine may be linked to a central host computer that administers accounts for a plurality of players. In this case, the portable data unit may only carry a personal identifier for accessing a player's account at the central host computer. The monetary or player tracking information may be encrypted or unencrypted, depending upon the level of security desired for the application involved.

[0003] Heretofore, to communicate with gaming machines, portable data units of the above type have had to be manually inserted by players into data unit readers at the gaming machines. This arrangement suffers from numerous drawbacks. First, the process of retrieving the portable data unit and manually inserting it into a data unit reader can be inconvenient to a player especially if the player wishes to play numerous gaming machines in a relatively short period of time. Second, unless the portable data unit is somehow attached to the player by a string, chain, or the like, a player may forget to remove the portable data unit from a data unit reader upon completion of a gaming session, thereby possibly allowing a subsequent unscrupulous player at that gaming machine to use the data unit for his/her own benefit. Third, data unit readers are often disposed at peculiar locations on gaming machines, such as above a video or mechanical display. This, in turn, requires a player to awkwardly reach for the peculiar location to manually insert the portable data unit. If the portable data unit is attached to a string or the like, it is common for the string to hang over and partially obscure the machine display as the player plays the gaming machine.

[0004] Accordingly, a need exists for a portable data unit that can communicate with a gaming machine without inserting the data unit into a data unit reader.

### SUMMARY OF THE INVENTION

[0005] A method and arrangement for communicating with a gaming machine is disclosed. The gaming machine includes a first wireless transceiver. A portable data unit includes a second wireless transceiver. In response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, a wireless transmission link is established between the first and second wireless trans-

ceivers. The wireless transmission link may, for example, be a radio (RF) link or an infrared (IR) link. Information is transmitted between the portable data unit and the gaming machine via the wireless transmission link for such purposes as cashless gaming, player tracking, game customization, and data transfer.

### BRIEF DESCRIPTION OF THE DRAWINGS

[0006] The foregoing and other advantages of the invention will become apparent upon reading the following detailed description and upon reference to the drawings.

[0007] **FIG. 1** is a front view of an arrangement for communicating with a gaming machine in accordance with the present invention.

[0008] **FIG. 2** is a block diagram of the arrangement for communicating with a gaming machine in accordance with the present invention.

[0009] **FIG. 3** is an isometric view of an automated teller machine optionally employed in the arrangement.

[0010] While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

### DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

[0011] Turning now to the drawings, **FIG. 1** is a front view of an arrangement for communicating with a gaming machine **10** in accordance with the present invention, and **FIG. 2** is a block diagram of the arrangement. The arrangement includes a first wireless transceiver **12** mounted at the gaming machine **10**, and a portable data unit **14** including a second wireless transceiver **16** (see **FIG. 2**). The wireless transceiver **12** is preferably mounted to a front center portion of the gaming machine **10** at a height proximate to a height of a waist of an average standing person. An individual, such as a patron or employee of a gaming establishment, may carry the portable data unit **14** in his or her pocket or on a key, neck, or wrist chain so that the data unit **14** is readily available when needed. A patron may acquire the portable data unit **14** on site from a gaming establishment via an automated dispenser or an attendant station, or may have the data unit **14** shipped to the patron in response to an order placed by mail, telephone, the Internet, or the like. The portable data unit **14** may be shaped as a smart card, key, or the like or may be incorporated in a typical portable device such as a mobile (cell) telephone, watch, necklace, ring, belt buckle, or any other typical device carried by casino patrons.

[0012] In response to positioning the portable data unit **14** in proximity to the gaming machine **10**, but without inserting the data unit **14** into any portion (e.g., data unit reader) of the gaming machine **10**, a wireless transmission link is established (enabled) between the wireless transceivers **12** and **16**. The wireless transmission link conveys information between the portable data unit **14** and the gaming machine **10**. The wireless transmission link may be a radio (RF) link or an infrared (IR) link.

[0013] In one embodiment, the transceivers **12** and **16** are respective radio microchips that communicate over short distances and through obstacles by means of radio waves. The radio microchips preferably conform to the Bluetooth™ standard detailed at [www.bluetooth.com](http://www.bluetooth.com), which is incorporated herein by reference. The Bluetooth radio microchips operate in the unlicensed ISM band at 2.4 GHz and avoid interference from other signals by hopping to a new frequency after transmitting or receiving an information packet. Bluetooth is a term used to describe the protocol of a short range frequency-hopping radio link between devices containing the radio microchips. These devices, which in this case are the portable data unit **14** and the gaming machine **10**, are then termed “Bluetooth-enabled.” The radio link replaces a data unit reader or cable that would otherwise be used to connect the portable data unit **14** and the gaming machine **10**. The Bluetooth technology is designed to be fully functional even in very noisy radio environments. The Bluetooth technology provides a very high transmission rate and all information is protected by advanced error-correction methods, as well as encryption and authentication routines for the user’s privacy. It should be noted, however, that wireless technologies other than Bluetooth may be used to communicate information between the portable data unit **14** and the gaming machine **10**.

[0014] To establish the wireless transmission link, the portable data unit **14** must be positioned within a predetermined distance of the gaming machine **10** for at least a predetermined period of time. The predetermined distance and period of time may be varied for such different purposes as an attract mode and a play mode. In an attract mode, the predetermined distance and period of time may be set to enable a wireless transmission link with individuals that casually walk by but do not stop at the gaming machine **10**. The predetermined distance may be several feet and the predetermined period of time may be less than one second. Upon establishing such an attract mode link, the gaming machine **10** may learn the identity of a passer by through the information on the individual’s portable data unit **14** and invite that individual to play the gaming machine **10**. In a play mode, the predetermined distance and period of time may be set to enable a wireless transmission link with individuals that demonstrate an intent to play the gaming machine **10** and to disregard individuals who casually walk by the gaming machine **10**. In one embodiment, this predetermined distance is no greater than about two or three feet to detect the portable data units **14** of individuals standing in front of the gaming machine **10** but not in front of an adjacent gaming machine. The predetermined period of time is at least five seconds.

[0015] As a contingency in the event the wireless transmission link fails, the portable data unit **14** and the gaming machine **10** may be outfitted with respective conventional serial I/O interfaces for establishing a conventional physical link between the data unit **14** and the gaming machine **10**. Specifically, instead of positioning the portable data unit **14** in proximity to the gaming machine **10** to attempt to establish a wireless transmission link, the data unit **14** may be inserted into a data unit reader **58** on the gaming machine **10** to establish the conventional physical link. If the portable data unit **14** is a smart card, the data unit reader **58** may be a smart card reader including an entry slot for receiving the smart card.

[0016] In one embodiment, the portable data unit **14** is a smart card embedded with a microcontroller and is based on an eight-bit central processing unit (CPU) core **20**. The portable data unit **14** includes the following on-chip memories with the following capacities: 128 Bytes of RAM **22**, 6 Kbytes of User ROM **24**, 1 Kbyte of System ROM **26**, and 1088 Bytes of EEPROM **28**. If the portable data unit **14** is used to store detailed information of different types (e.g., monetary information, player tracking information, player preferences, casino preferences, and machine data), the number of bytes of in the various memories can be increased to accommodate such information. Both the User ROM **24** and EEPROM **28** can be configured into two sectors. Access rules from any memory section or sector to any other are set up by the User’s Memory Access Control Matrix (MACM) **30**. This provides protection against interaction between multiple applications running on the portable data unit, or against fraudulent software execution. The CPU **20** is coupled to the MACM **30** by an internal bus **32**. The EEPROM **28** preferably employs highly reliable CMOS EEPROM technology with approximately 10 year data retention and 300,000 erase/write cycles endurance. The portable data unit **14** is fully compatible with the ISO standards for smart card applications. Although the portable data unit **14** is illustrated as being in the shape of a card, the data unit **14** can have other shapes capable of housing a microcontroller.

[0017] An important advantage of the portable data unit **14** over some other data-carrying mediums, such as magnetic stripe cards, is that it is inherently more secure and therefore less susceptible to fraud. The internal bus **32** is protected from fraudulent use by security logic **34**, and the MACM **30** sets up access rules from any memory section or sector. Furthermore, the CPU **20** runs security software that encrypts/decrypts information transmitted between the portable data unit **14** and the gaming machine **10**.

[0018] The gaming machine **10** is operable to play a game of chance such as mechanical slots, video slots, poker, blackjack, keno, bingo, or roulette. The game of chance may be any game that is played in response to a wager, randomly selects a game outcome from a plurality of possible outcomes, and awards a payoff if the selected game outcome matches predetermined criteria. The gaming machine **10** includes a visual display **40** preferably in the form of a mechanical, dot matrix, CRT, LED, LCD, electro-luminescent, or other type of display known in the art. A touch screen may overlay the display **40**. In the illustrated embodiment, the gaming machine **10** is an “upright” version in which the display **40** is oriented vertically relative to a player. Alternatively, the gaming machine **10** may be a “slant-top” version in which the display **40** is slanted at about a thirty-degree angle toward the player of the gaming machine **10**.

[0019] Referring primarily to FIG. 2, the gaming machine **10** includes a central processing unit (CPU) **42** that executes game software stored in system memory **44**. The game of chance is depicted on the display **40**. In a video slot game, for example, the player may select a number of pay lines **52** (see FIG. 1) to play and a number of credits to wager via push-buttons **46** or a touch screen **48** overlaying the display **40**. The CPU **42** decrements a credit meter **50** by the number of wagered credits. The slot game commences in response to the player pressing a “spin” push-button or touch field or

pulling a handle, causing the CPU 42 to set animated reels 54 (see FIG. 1) in motion, randomly select a game outcome using a random number generator (RNG), and then stop the reels to display symbols corresponding to the pre-selected game outcome. In one embodiment, certain of the game outcomes cause the CPU 42 to enter a bonus mode causing the display 40 or a secondary display to show a bonus game.

[0020] The system memory 44 stores control software, operational instructions and data associated with the gaming machine 10. In one embodiment, the system memory 44 comprises a separate read-only memory (ROM) and battery-backed random-access memory (RAM). It will be appreciated, however, that the system memory 44 may be implemented on any of several alternative types of memory structures or may be implemented on a single memory structure. In response to a winning outcome (e.g., winning combination of reel symbols along an active pay line) identified on a pay table stored in the system memory 44, the CPU 42 increments the credit meter 50 by a number of credits listed on the pay table for that winning outcome. If the game has a bonus mode, the payoff amounts corresponding to certain outcomes of the bonus game are also stored in the system memory 44.

[0021] When the portable data unit 14 is positioned in proximity to the gaming machine 10, the wireless transceivers 12 and 16 establish a wireless transmission link that allows the CPU 20 on the data unit 14 to communicate with the CPU 42 on the gaming machine 10. Such communication may occur for such purposes as cashless gaming, player tracking, game customization, and data transfer.

[0022] The amount of information stored on the portable data unit 14 may vary depending upon the storage capacity of the data unit 14 and what is desired for the particular application involved. On the one hand, the gaming machine 10 may be linked to a remote host computer 18 that administers accounts for a plurality of players in an account database. In this case, the portable data unit 14 may only store a personal identifier for accessing detailed information in a player's account at the host computer 18. The personal identifier is associated with the player's account. The detailed information in the player's account may, for example, include monetary information, player tracking information, player preferences, casino preferences, and verification information (e.g., verification code, biometric attribute, etc.). On the other hand, the portable data unit 14 may store detailed information directly on the data unit 14 such that the player's "account" effectively resides on the data unit 14 itself. The detailed information may, for example, include monetary information, player tracking information, player preferences, casino preferences, machine data, and verification information.

[0023] In another embodiment, both the portable data unit 14 and the host computer 18 may store some common information as a technique for verifying the contents of the data unit 14. For example, both the portable data unit 14 and the host computer 18 may store a current monetary balance and record of monetary transactions for a player's account identified by the portable data unit 14. If the current monetary balance and transaction record on the portable data unit 14 match the current balance and transaction record in the player's account at the host computer 18, the contents of the portable data unit 14 are considered valid; otherwise, they are not.

[0024] If the gaming machine 10 is linked to a host computer 18, it is preferably part of a high-speed network linking the host computer 18 to a plurality of similar gaming machines. The network may encompass a single gaming establishment or multiple gaming establishments. If the network encompasses multiple gaming establishments and is therefore a wide-area network, the gaming machines at each gaming establishment are interconnected by a local-area network. Each local-area network may be an Ethernet using a bus or star topology and supporting data transfer rates of 10, 100, or 1000 megabits per second. Alternatively, each local-area network may be a slower legacy network of the type currently found in many casinos. Each local-area network includes a respective gateway that serves as an entrance to the network. Each gateway is associated with both a router, which knows where to direct a given packet of data that arrives at the gateway, and a switch, which furnishes the actual path in and out of the gateway for a given packet. The gaming machine 10, as well as the other gaming machines in the network, are each assigned a respective permanent identification number for identifying the machine 10 to the host computer 18 and allowing the host computer 18 to address the machine 10. The host computer 18 may either be located in the same gaming establishment as one of the local-area networks or at an offsite location remote from the gaming establishment(s). If the host computer 18 is located in a gaming establishment, the host computer 18 is preferably located in a secure area that can only be accessed by authorized establishment personnel and not patrons.

[0025] A player may modify the information associated with the portable data unit 14 at an automated station or at a station operated by a live attendant. In an alternative embodiment, the gaming machine 10 itself may be equipped to serve as an automated station permitting a player to modify the information while at the gaming machine 10. For example, with respect to cashless gaming, to establish or modify the monetary information associated with the portable data unit 14, the player goes to either an automated teller machine (ATM) or an attendant station. In the description below, it should be understood that the player's monetary account may reside on the portable data unit 14 and/or at the central host computer 18. If the player's monetary account resides at the host computer 18, then both the ATM and the attendant station are linked to the host computer 18.

[0026] A cashless gaming system and method employing the portable data unit 14 is described in detail below.

[0027] Referring to FIG. 3, there is shown a front view of an ATM 60. The ATM 60 includes a data unit dispenser 62, a cash acceptor 64, a cash dispenser 66, an instructional display 68, and a push-button user interface 70. In addition to or instead of the user interface 70, a touch screen may be mounted over the instructional display 68. The display 68 initially offers three transaction options: (1) establish a new monetary account, (2) deposit money to an existing account, and (3) withdraw money from an existing account.

[0028] In response to selecting option (1), the display 68 instructs the player to insert cash (bills) into the cash acceptor 64 and to press a vend button of the user interface 70 after the desired amount of cash has been inserted. In response to pressing the vend button, the display 68 may prompt the player to enter verification information such as a verification code (e.g., personal identification number (PIN))



and/or a biometric attribute. The ATM 60 may include a biometric measurement device 72 for measuring a biometric attribute of the player. The biometric attribute may, for example, be a fingerprint, a voice sample, or a retinal scan captured with a fingerprint reader, a voice recognition system, and a retinal scanner, respectively. A suitable fingerprint reader is commercially available from Identix Incorporated of Los Gatos, Calif. The fingerprint reader provides adjustable security thresholds so that it can be easily tuned to fit the exact security requirements of the desired application. The player inserts his or her finger into the fingerprint reader which, in turn, electronically or optically captures a forensic-quality fingerprint image directly from the player's finger.

[0029] After entering the verification information, the ATM 60 establishes a new monetary account for the player. The verification information is stored with the player's account. The player's account resides either on the portable data unit 14 to be dispensed by the ATM 60 or in an account database at the host computer 18. The player's account initially holds an amount of money corresponding to the amount of cash deposited into the ATM 60 by the player. If the player's account is stored at the host computer 18, the host computer 18 assigns an account identifier to the new account and sends the account identifier to the ATM 60 for storage on the portable data unit 14 to be dispensed. The ATM 60 then dispenses the portable data unit 14 from the data unit dispenser 62.

[0030] Once the player's account is established, the player may also utilize the ATM 60 to deposit money to, or withdraw money from, the existing account. Specifically, when the instruction display 68 initially offers the three transaction options noted above, the player selects either option (2) to deposit money or option (3) to withdraw money. In response to selecting either option (2) or (3), the display 68 instructs the player to position his or her portable data unit 14 in proximity to the ATM 60 so that the data unit 14 can communicate with the ATM 60 over a wireless transmission link established between the transceiver 16 in the data unit 14 and a transceiver in the ATM 60. In response to establishing this wireless transmission link, the display 68 prompts the player to enter his or her verification information (e.g., verification code, biometric attribute, etc.).

[0031] After receiving the verification information, the ATM 60 verifies the existence of the player's account and the identity of the player. Specifically, if the player's account resides on the portable data unit 14, the ATM 60 compares the entered verification information with the verification information stored with the player's account. If a match does not exist, the ATM 60 rejects use of the portable data unit 14 and informs the player of the problem. If, however, a match exists, the player may proceed to deposit money to (option (2)), or withdraw money from (option (3)), the existing monetary account depending upon which transaction option was initially selected.

[0032] If the player's account resides at the host computer 18, the ATM 60 transmits the account identifier on the portable data unit 14 and the entered verification information to the host computer 18. The host computer 18 determines whether or not the account identifier is assigned to any open monetary accounts. If the account identifier is not assigned to any open monetary accounts, the ATM 60 rejects use of

the portable data unit 14 and informs the player of the problem. If, however, the account identifier is assigned to an open monetary account, the host computer 18 compares the entered verification information with the verification information stored with the player's account. If a match does not exist, the ATM 60 rejects use of the portable data unit 14 and informs the player of the problem. If, however, a match exists, the player may proceed to deposit money to (option (2)), or withdraw money from (option (3)), the existing monetary account depending upon which transaction option was initially selected.

[0033] For a "deposit" transaction (option (2)), the display 68 on the ATM 60 instructs the player to insert cash (bills) into the cash acceptor 64 and to press a vend button of the user interface 70 after the desired amount of cash has been inserted. In response to pressing the vend button, the amount of deposited cash is added to the player's account.

[0034] For a "withdrawal" transaction (option (3)), the display 68 on the ATM 60 informs the player as to the amount of money in the player's existing account and instructs the player to enter, via the user interface 70, the amount of money that the player wishes to withdraw from the player's account. The ATM 60 dispenses the requested amount of money via the cash dispenser 66. The amount of withdrawn cash is deducted from the player's account.

[0035] The ATM 60 may be designed to allow the player to withdraw any monetary amount (in dollars and cents) in the player's account up to the entire account balance, or to withdraw only a whole number dollar amount in prescribed increments (e.g., \$5, \$10, \$20, etc.). If the ATM 60 allows the player to withdraw any monetary amount up to the entire account balance, the ATM 60 is then equipped with a coin dispenser in addition to the cash dispenser 66. If, however, the ATM 60 allows the player to withdraw only a whole number dollar amount in prescribed increments, the cashless gaming system and method may require the player to obtain any residual amount of money from an attendant station.

[0036] Referring back to FIGS. 1 and 2, after the player establishes a new monetary account and deposits money into that account, the player may proceed to play a gaming machine 10 using the money in the player's account. Toward that end, in response to positioning the portable data unit 14 in proximity to the gaming machine 10 so that a wireless transmission link is established therebetween, the machine display 40 prompts the player to enter his or her verification information. If the verification information includes a biometric attribute, the gaming machine 10 may be outfitted with an appropriate biometric measurement device 56 for measuring the biometric attribute.

[0037] After receiving the verification information, the gaming machine 10 verifies the existence of the player's account and the identity of the player. Specifically, if the player's account resides on the portable data unit 14, the gaming machine 10 compares the entered verification information with the verification information stored with the player's account. If a match does not exist, the gaming machine 10 rejects use of the portable data unit 14 and informs the player of the problem. If, however, a match exists, the gaming machine 10 accesses the money in the player's account so that the player may proceed to play a game at the gaming machine 10.

[0038] If the player's account resides at the host computer 18, the gaming machine 10 transmits the account identifier

on the portable data unit **14** and the entered verification information to the host computer **18**. The host computer **18** determines whether or not the account identifier is assigned to any open monetary accounts. If the account identifier is not assigned to any open monetary accounts, the gaming machine **10** rejects use of the portable data unit **14** and informs the player of the problem. If, however, the account identifier is assigned to an open monetary account, the host computer **18** compares the entered verification information with the verification information stored with the player's account. If a match does not exist, the gaming machine **10** rejects use of the portable data unit **14** and informs the player of the problem. If, however, a match exists, the gaming machine **10** accesses the money in the player's account so that the player may proceed to play a game at the gaming machine **10**.

[0039] To access the money in the player's account, the gaming machine **10** may automatically download all the money in the player's account (whether it resides on the portable data unit **14** or at the host computer **18**) to the gaming machine **10**. Alternatively, the machine display may instruct the player to select an amount of money, up to the entire account balance, to deduct from the player's account and electronically download to the gaming machine **10**. The gaming machine **10** converts the amount of downloaded money to an appropriate number of credits. For example, if each credit on the gaming machine **10** is worth 25 cents, the number of credits is equal to the amount of downloaded money divided by 25 cents. The player may proceed to play a game on the gaming machine **10** using the number of credits corresponding to the amount of downloaded money. The gaming machine **10** includes the credit meter **50** depicting the number of credits available for play. For each play, the credit meter **50** is decremented by the number of wagered credits and incremented by the number of credits awarded for a winning outcome.

[0040] At the completion of a game session, the player may collect an amount of money corresponding to any credits remaining on the credit meter **50** by pressing a "Collect" (or "Cash Out") button. In response to pressing the "Collect" button, the gaming machine **10** electronically uploads to the player's account (whether it resides on the portable data unit **14** or at the host computer **18**) an amount of money corresponding to the number of credits remaining on the credit meter **50**. Alternatively, the player may be given the option to have a portion of the money uploaded to the player's account and a remaining portion of the money dispensed as cash or coins from the gaming machine **10**. Toward that end, the machine display may instruct the player to select an amount of money, up to the number of credits on the credit meter **50**, to upload to the player's account. Any remaining credits are dispensed as cash or coins from the gaming machine **10**.

[0041] In an alternative embodiment, the actual money in the player's account is not electronically transferred to the gaming machine **10**. Rather, while a wireless transmission link exists between the player's portable data unit **14** and the gaming machine **10**, the money remains in the player's account but the amount of money is visually represented on the display of the gaming machine **10**. In this way, the player is aware of the amount of money in the player's account and available for game play. At the completion of a game session, the amount of money in the player's account is

updated to reflect any wins and wagers during the game session. Alternatively, the amount of money in the player's account may be updated after each play, which may be defined as a single wager and an associated outcome.

[0042] The wireless transmission link between the portable data unit **14** and the gaming machine **10** preferably must be maintained throughout the gaming session in order to wager with money from the player's monetary account. Alternatively, if the player's account is only accessed at the commencement and completion of a gaming session, the wireless transmission link may only need to be established at these times. If the wireless transmission link is interrupted at any time the link is suppose to exist, the player may be prompted to position the portable data unit **14** in proximity to the gaming machine **10** to re-establish the link. If the wireless transmission link cannot be established despite positioning the portable data unit **14** in proximity to the gaming machine **10**, the player may instead establish a more conventional physical link by manually inserting the portable data unit **14** into the data unit reader **58** on the gaming machine **10**.

[0043] After completing a game session, the player may take the portable data unit **14** to an ATM **60** or an attendant station and withdraw any money remaining in the player's account. The procedure for withdrawing money was described above in connection with the ATM **60**. A similar procedure is followed at the attendant station except that the attendant station is operated by a live attendant that assists the player in executing the transaction. The live attendant may merely provide passive instruction or may actively handle the player's portable data unit **14** and money.

[0044] As illustrated in FIGS. 1 and 2, the gaming machine **10** includes at least a transceiver **12** for communicating with the portable data unit **14** and is optionally equipped with such traditional money handling devices as a bill validator, a coin acceptor, and a coin hopper. In a first embodiment, the gaming machine **10** only permits cashless gaming and therefore contains none of these traditional money handling devices. If the player uses up all the money in the player's account, the player can take his or her portable data unit **14** to an attendant station or an ATM **60** and deposit additional money into the player's account. In a second embodiment, the gaming machine **10** can serve as an ATM **60** and include bill and/or coin acceptors for the sole purpose of depositing money into the player's account should the player use up the existing money. With this arrangement, the player need not leave the gaming machine **10** to continue playing. In a third embodiment, the bill and/or coin acceptors can additionally be employed to directly load money onto the credit meter **50** of the gaming machine **10**.

[0045] While the present invention has been described with reference to one or more particular embodiments, those skilled in the art will recognize that many changes may be made thereto without departing from the spirit and scope of the present invention.

[0046] For example, the player's account (whether it resides on the portable data unit **14** or at the central host computer **18**) may also contain player tracking information, player preferences, and casino preferences.

[0047] The player tracking information may include a personal identifier and game play data as disclosed in U.S.

Pat. No. 5,179,517 to Sarbin et al., which is incorporated herein by reference in its entirety. The game play data may include an identification of last ten machines played, specific information relating to the games played, and the jackpots and other prizes won by the player. For each denomination (e.g., nickel, dime, quarter, half-dollar, dollar, etc.), the game play data may include data fields for the number of coins played, the number of coins paid out, the number of games played, the number of coins paid by attendants, and the time of play in minutes. Of course, the amount and types of data stored in the player's account may be varied to suit a particular casino operating environment. Based on the player tracking information in the player's account, the central host computer **18** performs calculations to compute bonuses to be awarded to the player when playing a gaming machine **10**.

[0048] The player preferences generally relate to the values of those parameters that players have selected in establishing their preferred gaming machine configuration. The player preferences may include the preferred game (game type), the preferred configuration of the gaming machine (language, sound options, speed of reel spins, number of coins played per handle pull), and the preferred distribution of awards (payout structure, payout options, form of complimentary awards, currency). The casino preferences reflect certain parameters that casinos can adjust according to certain criteria, such as skill level or playing frequency, to maintain the interest of its players. The casino preferences may include hold percentage, complimentary award rate, complimentary award limits, game eligibility (lockout), and other information. Hold percentage indicates a range of hold percentages, such as high, medium, and low. Based on the player preferences and the casino preferences in the player's account, the gaming machine **10** is adapted or configured to such data as disclosed in U.S. Pat. No. 6,110,041 to Walker et al., which is incorporated in its entirety.

[0049] In addition, the portable data unit **14** may be used by employees of a gaming establishment to collect data relating to gaming machine operation as disclosed in U.S. Pat. No. 5,179,517 to Sarbin et al. For each machine, the machine data may include a machine ID; the number of coins played; the number of coins in the machine's cash box; the number of coins paid out by the machine; the number of games played; the number of coins paid by attendants to players; and such security information as the number of machine door openings, the number of coin hopper jams, the number of blackouts (i.e., interruptions of electrical power to the machine), and the last ten security events such as tilts and illegal pays. Along with the data as described above, appropriate date-time information corresponding to the data may be recorded on the portable data unit **14**.

[0050] Furthermore, if the portable data unit **14** is incorporated in a portable device such as a mobile telephone or portable internet appliance, the device may link to a financial institution (e.g., bank or credit card company) where the player has an outside account to transfer money to the player's account (whether it resides on the portable data unit **14** or at the central host computer **18**) or directly to the gaming machine **10**.

[0051] Each of these embodiments and obvious variations thereof is contemplated as falling within the spirit and scope of the claimed invention, which is set forth in the following claims.

What is claimed is:

1. A method of communicating with a gaming machine, the gaming machine including a first wireless transceiver, the method comprising:

acquiring a portable data unit from a data unit provider, the portable data unit including a second wireless transceiver;

positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, to establish a wireless transmission link between the first and second wireless transceivers; and

transmitting information between the portable data unit and the gaming machine via the wireless transmission link.

2. The method of claim 1, wherein the transmitted information is selected from a group consisting of monetary information, player tracking information, player preferences, casino preferences, and machine data.

3. The method of claim 1, wherein the data unit provider is a gaming establishment.

4. The method of claim 1, wherein the portable data unit is incorporated in a portable device selected from a group consisting of a card, a key, a portable telephone, a watch, a ring, a necklace, and a belt buckle.

5. The method of claim 1, further including transferring the information between the gaming machine and a central host computer remote from the gaming machine.

6. The method of claim 1, wherein the wireless transmission link is selected from a group consisting of a short range, radio link and an infrared link.

7. The method of claim 6, wherein the first and second wireless transceivers are respective radio microchips.

8. The method of claim 7, wherein the radio microchips and the radio link conform to a Bluetooth standard.

9. The method of claim 1, further including authenticating the transmitted information.

10. The method of claim 1, further including encrypting the transmitted information.

11. The method of claim 1, further including correcting errors in the transmitted information.

12. The method of claim 1, wherein the transmitted information includes a personal identifier, and further including transmitting the personal identifier from the gaming machine to a central host computer, the central host computer being remote from and linked to the gaming machine.

13. The method of claim 12, further including transmitting centralized information from the central host computer to the gaming machine.

14. The method of claim 13, wherein the centralized information is selected from a group consisting of monetary information, award information, and game customization information.

15. The method of claim 14, wherein the monetary information includes an account balance in a player's account associated with the personal identifier.

16. The method of claim 15, further including adding a number of credits to the gaming machine no greater than the account balance.

17. The method of claim 14, wherein the game customization information adapts the gaming machine to at least one of player preferences and casino preferences.

**18.** The method of claim 12, wherein the personal identifier is associated with a player's account at the central host computer, and further including accessing account information in the player's account.

**19.** The method of claim 18, further including transmitting centralized information from the central host computer to the gaming machine, the transmitted centralized information being determined by the account information.

**20.** The method of claim 2, wherein the monetary information corresponds to a number of credits, and further including adding the number of credits to the gaming machine.

**21.** The method of claim 2, wherein the player tracking information is selected from a group consisting of a personal identifier and game play data.

**22.** The method of claim 1, wherein the step of positioning the portable data unit in proximity to the gaming machine includes positioning the portable data unit within a predetermined distance of the gaming machine for at least a predetermined period of time.

**23.** The method of claim 22, wherein the predetermined distance is no greater than about three feet.

**24.** The method of claim 22, wherein the predetermined period of time is at least five seconds.

**25.** The method of claim 1, wherein the first transceiver is disposed proximate a front center portion of the gaming machine.

**26.** The method of claim 25, wherein the first transceiver is disposed at a height proximate to a height of a waist of an average standing person.

**27.** A method of communicating with a gaming machine, the gaming machine including a first radio microchip, the method comprising:

providing a portable data unit including a second radio microchip;

in response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, establishing a short range, wireless radio link between the first and second radio microchips; and

transmitting information between the portable data unit and the gaming machine via the radio link.

**28.** The method of claim 27, wherein the transmitted information is selected from a group consisting of monetary information, player tracking information, player preferences, casino preferences, and machine data.

**29.** The method of claim 27, wherein the portable data unit is incorporated in a portable device selected from a group consisting of a card, a key, a portable telephone, a watch, a ring, a necklace, and a belt buckle.

**30.** The method of claim 27, further including transferring the information between the gaming machine and a central host computer remote from the gaming machine.

**31.** The method of claim 30, further including transferring centralized information stored at the central host computer from the central host computer to the gaming machine.

**32.** The method of claim 31, wherein the centralized information is determined at least in part by the information transferred from the gaming machine to the central host computer.

**33.** The method of claim 27, wherein the radio microchips and the radio link conform to a Bluetooth standard.

**34.** The method of claim 27, further including authenticating the transmitted information.

**35.** The method of claim 27, further including encrypting the transmitted information.

**36.** The method of claim 27, further including correcting errors in the transmitted information.

**37.** A cashless gaming method, comprising:

providing a gaming machine including a first wireless transceiver;

providing a portable data unit including a second wireless transceiver and monetary information;

positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, to establish a wireless transmission link between the first and second wireless transceivers; and

transmitting the monetary information from the portable data unit to the gaming machine via the wireless transmission link.

**38.** The method of claim 37, further including adding a number of credits to the gaming machine based on the transmitted monetary information.

**39.** A cashless gaming method, comprising:

providing a gaming machine including a first wireless transceiver;

providing a portable data unit including a second wireless transceiver and a personal identifier;

positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, to establish a wireless transmission link between the first and second wireless transceivers;

transmitting the personal identifier from the portable data unit to the gaming machine via the wireless transmission link;

transmitting the personal identifier from the gaming machine to a central host computer remote from and linked to the gaming machine;

accessing monetary information from a player's monetary account at the central host computer, the player's account being associated with the personal identifier; and

transmitting the monetary information from the central host computer to the gaming machine.

**40.** The method of claim 39, further including adding a number of credits to the gaming machine based on the transmitted monetary information.

**41.** An arrangement for communicating with a gaming machine, comprising:

a first wireless transceiver mounted at the gaming machine;

a portable data unit including a second wireless transceiver and carried by an individual; and

a wireless transmission link established between the first and second wireless transceivers in response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data

unit into any portion of the gaming machine, the wireless transmission link transmitting information between the portable data unit and the gaming machine.

**42.** The arrangement of claim 41, wherein the transmitted information is selected from a group consisting of monetary information, player tracking information, player preferences, casino preferences, and machine data.

**43.** The arrangement of claim 41, wherein the portable data unit is incorporated in a portable device selected from a group consisting of a card, a key, a portable telephone, a watch, a ring, a necklace, and a belt buckle.

**44.** The arrangement of claim 41, further including means for transmitting the information between the gaming machine and a central host computer remote from the gaming machine.

**45.** The arrangement of claim 41, wherein the wireless transmission link is selected from a group consisting of a short range, radio link and an infrared link.

**46.** The arrangement of claim 45, wherein the first and second wireless transceivers are respective radio microchips.

**47.** The arrangement of claim 46, wherein the radio microchips and the radio link conform to a Bluetooth standard.

**48.** The arrangement of claim 41, further including means for authenticating the transmitted information.

**49.** The arrangement of claim 41, further including means for encrypting the transmitted information.

**50.** The arrangement of claim 41, further including means for correcting errors in the transmitted information.

**51.** The arrangement of claim 41, wherein the transmitted information includes a personal identifier, and further including means for transmitting the personal identifier from the gaming machine to a central host computer, the central host computer being remote from and linked to the gaming machine.

**52.** The arrangement of claim 51, further including means for transmitting centralized information from the central host computer to the gaming machine.

**53.** The arrangement of claim 52, wherein the centralized information is selected from a group consisting of monetary information, award information, and game customization information.

**54.** The arrangement of claim 53, wherein the monetary information includes an account balance in a player's account associated with the personal identifier.

**55.** The arrangement of claim 53, wherein the game customization information adapts the gaming machine to at least one of player preferences and casino preferences.

**56.** The arrangement of claim 51, wherein the personal identifier is associated with a player's account at the central host computer.

**57.** The arrangement of claim 56, further including means for transmitting centralized information from the central host computer to the gaming machine, the transmitted centralized information being determined by account information accessed from the player's account.

**58.** The arrangement of claim 42, wherein the monetary information corresponds to a number of credits, and further including means for adding the number of credits to the gaming machine.

**59.** The arrangement of claim 42, wherein the player tracking information is selected from a group consisting of a personal identifier and game play data.

**60.** The arrangement of claim 41, wherein the wireless transmission link is established between the first and second wireless transceivers in response to positioning the portable data unit within a predetermined distance of the gaming machine for at least a predetermined period of time.

**61.** The arrangement of claim 60, wherein the predetermined distance is no greater than about three feet.

**62.** The arrangement of claim 60, wherein the predetermined period of time is at least five seconds.

**63.** The arrangement of claim 41, wherein the first transceiver is disposed proximate a front center portion of the gaming machine.

**64.** The arrangement of claim 63, wherein the first transceiver is disposed at a height proximate to a height of a waist of an average standing person.

**65.** An arrangement for communicating with a gaming machine, comprising:

a first radio microchip mounted at the gaming machine;

a portable data unit including a second radio microchip and carried by an individual; and

a short range, wireless radio link established between the first and second radio microchips in response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, the radio link transmitting information between the portable data unit and the gaming machine.

**66.** A cashless gaming system, comprising:

a gaming machine including a first wireless transceiver;

a portable data unit including a second wireless transceiver and monetary information; and

a wireless transmission link established between the first and second wireless transceivers in response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, the wireless transmission link transmitting the monetary information from the portable data unit to the gaming machine.

**67.** The system of claim 66, further including means for adding a number of credits to the gaming machine based on the transmitted monetary information.

**68.** A cashless gaming system, comprising:

a gaming machine including a first wireless transceiver;

a portable data unit including a second wireless transceiver and a personal identifier;

a wireless transmission link established between the first and second wireless transceivers in response to positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, the wireless transmission link transmitting the personal identifier from the portable data unit to the gaming machine; and

a central host computer remote from and linked to the gaming machine, the central host computer receiving the personal identifier from the gaming machine, accessing monetary information from a player's mon-

etary account associated with the personal identifier, and transmitting the monetary information to the gaming machine.

**69.** The system of claim 68, further including means for adding a number of credits to the gaming machine based on the transmitted monetary information.

**70.** A method of playing a gaming machine, the gaming machine including a first transceiver, the method comprising:

carrying a portable data unit including a second transceiver;

positioning the portable data unit in proximity to the gaming machine, without inserting the portable data unit into any portion of the gaming machine, to establish a wireless transmission link between the first and second transceivers;

transmitting information between the portable data unit and the gaming machine via the wireless transmission link; and

playing a game on the gaming machine using the transmitted information.

**71.** The method of claim 70, wherein the wireless transmission link is selected from a group consisting of a radio link and an infrared link.

**72.** The method of claim 70, wherein the step of playing a game includes receiving a wager, randomly selecting a game outcome from a plurality of possible outcomes, and awarding a payoff if the selected game outcome matches predetermined criteria.

**73.** The method of claim 72, wherein the step of receiving a wager is accomplished using the transmitted information.

**74.** The method of claim 70, wherein the step of positioning the portable data unit in proximity to the gaming machine includes standing or sitting in front of the gaming machine.

\* \* \* \* \*